

VENIT

HYDRAULIC BOTTLE JACK & FLOOR JACK



JACK



VENIT

QINGDAO VENIT IMPORT AND EXPORT CO., LTD

Tel: +86-532-80921252

Fax: +86-532-80921252

Wechat / WhatsApp: +86-18954297651

Sales Manger: Jason E-mail: sales@qdvenit.com

Website: WWW.QDVENIT.COM




Incoming Quality Control ①
Measuring Implement ②
Laser-beam Drilling Machine ③
Ultrasonic Cleaner ④

⑤ Assembly Line (Bottle Jack)
⑥ Digital Semi-automatic Fastening Machine
⑦ Digital Semi-automatic Loading Test Machine
⑧ Automatic Painting Equipment
⑨ Packing Line





- ① 500 Ton Stamping Machine
- ② CNC Machine
- ③ Robot Welding (Bottle Jack)



- ④ Robot Welding (Garage Jack)
- ⑤ Garage Jack Production
- ⑥ Test Machines
- ⑦ Loading Test Machine (Ultra Heavy Duty Bottle Jacks)
- ⑧ Warehouse



VENIT

OUR PRODUCTS

BOTTLE JACK



FLOOR JACK



OTHER LIFTING EQUIPMENT



BOTTLE JACK



**WELDING
HYDRAULIC BOTTLE JACK**

01-04

**CONVENTIONAL
HYDRAULIC BOTTLE JACK**

05-12

**SPECIALITY
HYDRAULIC BOTTLE JACK**

13-16

**COMMERCIAL HEAVY DUTY
HYDRAULIC BOTTLE JACK**

17

OTHER BOTTLE JACK

18-20

Steel Base

Forge Steel Base

Low Profile

American Type

High Profile

No Safety Valve

Raw Screw

TUV/GS/CE
(Flat Carry Handle)

TUV/GS/CE
(Pole Carry Handle)

Double Ram
(Horizontal Pumping)

Double Ram

Machine Toe Jack

With Pressure Gauge

Screw Jack

Air / Hydraulic
(Welding Type)

Air / Hydraulic
(Conventional Type)

FLOOR JACK



21-24

Aluminum / Steel

Steel

Dual-Pump

Other Floor Jack

Jack Stand

Scissor Jack

Spiral Jack

Floor Transmission Jack

Transmission Jack

Engine Crane

Long Ram Jack

Engine Stand

Porta Power Jack

Pipe Bender

Collision Repair Kit

Shop Press

Motorcycle Service Elevator

OTHER LIFTING EQUIPMENT



25-38

BOTTLE JACK



01
WELDING
HYDRAULIC BOTTLE JACK

05
CONVENTIONAL
HYDRAULIC BOTTLE JACK



13
SPECIALITY
HYDRAULIC BOTTLE JACK

17
COMMERCIAL HEAVY DUTY
HYDRAULIC BOTTLE JACK



18
OTHER BOTTLE JACK

VENIT



**WELDING
HYDRAULIC
BOTTLE JACK**



STEEL BASE

WELDING HYDRAULIC BOTTLE JACK

YP 4-12T



YP 4T 0104



YP 16-30T



E 5-30T



Model	Capacity (TON)	Min.H. (mm)	Adjust H. (mm)	Max.H. (mm)	Lifting H. (mm)	N.W. (kg)	Master Pack Dimensions(mm)	Qty Of Package (mm)
YP1804	4	175	50	335	110	2.95	115x105x185	/
YP1806	6	195	60	380	125	3.85	125x120x205	/
YP1808	8	195	60	380	125	4.9	125x120x205	/
YP1810	10	195	60	380	125	5.3	130x130x205	/
YP1812	12	207	60	392	125	6.4	140x135x215	/
YP0104	4	201	80	540	132/132	4.8	120x100x210	/
YP1816	16	218	60	418	140	7.1	150x145x230	/
YP1820	20	233	60	438	145	9.5	170x160x240	/
YP1830	30	253	60	463	150	12	175x175x260	/
E1005	5	200	60	370	110	5	400x195x215	4
E1010	10	235	80	465	150	7	250x215x255	2
E1020S	20	225	80	415	110	9	290x230x295	2
E1020	20	275	/	435	160	11	290x230x295	2
E1030S	30	240	80	430	110	14.5	230x150x245	1
E1030	30	290	/	450	160	17	230x150x295	1

FORGE STEEL BASE

WELDING HYDRAULIC BOTTLE JACK

4T



5T



10T



Model	Capacity (TON)	Min.H. (mm)	Adjust H. (mm)	Max.H. (mm)	Lifting H. (mm)	N.W. (kg)	Master Pack Dimensions(mm)
YP1902	2	172	85	369	112	3.79	130x110x185
YP1904	4	172	85	369	112	3.79	130x110x185
YP1906	5	218	110	473	145	4.89	135x120x225
YP1908	8	220	110	480	150	7.37	150x145x230
YP1910	10	220	110	480	150	7.37	150x145x230
YP1912	12	236	110	506	160	8.52	150x145x235
YP1915	15	228	110	498	160	9.87	165x150x240
YP1920	20	241	110	516	165	13	182x167x252
YP1925	25	240	110	507	157	15	195x185x270
YP1930	30	244	95	499	160	15.5	195x185x270

VENIT

BOTTLE JACK



LOW
PROFILE

CONVENTIONAL HYDRAULIC BOTTLE JACK



12-50T

Model	Capacity (TON)	Min.H. (mm)	Lifting H. (mm)	Adjust H. (mm)	Max.H. (mm)	Master Pack Dimensions(mm)	Qty Of Package (mm)
E0212S	12	190	115	60	365	605x155x235	4
E0220S	20	185	100	60	345	365x175x265	2
E0232S	32	225	100	/	325	370x195x270	2
E0232A	32	225	100	60	385	370x195x270	2
E0232C	32	285	180	/	465	370x190x300	2
E0250S	50	220	115	/	335	215x195x230	1
E0250SA	50	220	115	50	385	215x195x265	1
E0250SB	50	255	150	50	455	215x195x265	1

AMERICAN
TYPE

CONVENTIONAL HYDRAULIC BOTTLE JACK

2-8T



10-20T



32T



50T



Model	Capacity (TON)	Min.H. (mm)	Lifting H. (mm)	Adjust H. (mm)	Max.H. (mm)	N.W. (kg)	Master Pack Dimensions(mm)	Qty Of Package (mm)
E0602	2	148	80	50	278	2.1	500x235x175	10
E0602B	2	148	80	50	278	2.1	562x175x280	5
E0604	4	180	110	50	340	3.2	380x240x220	6
E0604B	4	180	110	50	340	3.2	560x200x295	5
E0606	6	200	125	60	385	4.2	385x260x220	6
E0606B	6	200	125	60	385	4.2	640x200x310	5
E0608	8	200	125	60	385	5	275x255x220	4
E0610	10	200	125	60	385	5.5	285x275x220	4
E0612	12	210	125	60	395	6.8	305x295x235	4
E0616	16	225	140	60	425	7.5	325x160x250	2
E0620	20	235	145	60	440	10	365x175x265	2
E0632	32	255	150	/	405	12	370x195x270	2
E0650	50	255	150	/	405	20	215x195x265	1



HIGH
PROFILE

CONVENTIONAL HYDRAULIC BOTTLE JACK

2-8T



10-20T



32T



Model	Capacity (TON)	Min.H. (mm)	Lifting H. (mm)	Adjust H. (mm)	Max.H. (mm)	N.W. (kg)	Master Pack Dimensions(mm)	Qty Of Package (mm)
E0302	2	181	116	48	345	2.3	320x215x210	6
E0304	4	194	118	60	372	3.5	330x245x225	6
E0306	6	216	127	60	403	4.7	270x260x245	4
E0308	8	230	147	80	457	5.3	280x285x260	4
E0310	10	230	150	80	460	6	295x285x255	4
E0312	12	235	155	80	470	7	445x170x270	3
E0316	16	230	150	80	460	8	320x170x265	2
E0320	20	242	150	60	452	10.7	340x185x285	2
E0332	32	284	192	/	476	13.5	370x190x300	2

**NO
SAFETY VALVE**

**CONVENTIONAL
HYDRAULIC BOTTLE JACK**



**CONVENTIONAL
HYDRAULIC BOTTLE JACK**

RAW SCREW

2-10T

12-20T

32T

50T



5-30T



Model	Capacity (TON)	Min.H. (mm)	Lifting H. (mm)	Adjust H. (mm)	Max.H. (mm)	N.W. (kg)	Master Pack Dimensions(mm)	Qty Of Package (mm)
E0202	2	148	80	50	278	2.1	500x235x175	10
E0202B	2	148	80	50	278	2.1	565x175x280	5
E0204	4	180	110	50	340	3.2	380x240x220	6
E0204B	4	180	110	50	340	3.2	560x200x295	5
E0206	6	200	125	60	385	4.2	385x260x220	6
E0206B	6	200	125	60	385	4.2	640x200x310	5
E0208	8	200	125	60	385	5	275x255x220	4
E0210	10	200	125	60	385	5.5	285x275x220	4
E0212	12	210	125	60	395	6.8	305x295x235	4
E0216	16	225	140	60	425	7.5	325x160x250	2
E0220	20	235	145	60	440	10	365x175x265	2
E0232	32	255	150	/	405	12	370x195x270	2
E0250	50	255	150	/	405	20	215x195x265	1

Model	Capacity (TON)	Min.H. (mm)	Lifting H. (mm)	Adjust H. (mm)	Max.H. (mm)
E0905	5	250	155	100	505
E0910	10	250	155	100	505
E0920	20	250	155	100	505
E0930	30	245	140	95	480



CONVENTIONAL HYDRAULIC BOTTLE JACK



FLAT CARRY HANDLE



Model	Capacity (TON)	Min.H. (mm)	Lifting H. (mm)	Adjust H. (mm)	Max.H. (mm)	N.W. (kg)	Master Pack Dimensions(mm)	Qty Of Package (mm)
E0102	2	148	80	50	278	2.1	500x235x175	10
E0102B	2	148	80	50	278	2.1	562x175x280	5
E0104	4	180	110	50	340	3.2	380x240x220	6
E0104B	4	180	110	50	340	3.2	560x200x295	5
E0106	6	200	125	60	385	4.2	385x260x220	6
E0106B	6	200	125	60	385	4.2	640x200x310	5
E0108	8	200	125	60	385	5.3	275x255x220	4
E0110	10	200	125	60	385	5.7	285x275x220	4
E0112	12	210	125	60	395	7	305x295x235	4
E0116	16	225	140	60	425	8	325x160x250	2
E0120	20	235	145	60	440	10.7	365x175x265	2
E0132	32	255	150	/	405	13.4	370x195x270	2
E0150	50	300	180	/	480	30	215x195x265	1



CONVENTIONAL HYDRAULIC BOTTLE JACK



POLE CARRY HANDLE



Model	Capacity (TON)	Min.H. (mm)	Lifting H. (mm)	Adjust H. (mm)	Max.H. (mm)	N.W. (kg)	Master Pack Dimensions(mm)	Qty Of Package (mm)
E0502	2	148	80	50	278	2.1	500x235x175	10
E0502B	2	148	80	50	278	2.1	565x175x280	5
E0504	4	180	110	50	340	3.2	380x240x220	6
E0504B	4	180	110	50	340	3.2	560x200x295	5
E0506	6	200	125	60	385	4.2	385x260x220	6
E0506B	6	200	125	60	385	4.2	640x200x310	5
E0508	8	200	125	60	385	5.3	275x255x220	4
E0510	10	200	125	60	385	5.7	285x275x220	4
E0512	12	210	125	60	395	7	305x295x235	4
E0516	16	225	140	60	425	8	325x160x250	2
E0520	20	235	145	60	440	10.7	365x175x265	2
E0532	32	255	160	/	405	13.4	370x195x270	2
E0550	50	300	180	/	480	30	215x195x265	1

**DOUBLE
RAM**

**SPECIALITY
HYDRAULIC BOTTLE JACK**

12T



**HORIZONTAL
PUMPING**

Model	Capacity (TON)	Min.H. (mm)	Adjust H. (mm)	Max.H. (mm)	Master Pack Dimensions(mm)	Qty Of Package (mm)
E3012	12T	152mm	/	325mm	360x165x165	2

**DOUBLE
RAM**

**SPECIALITY
HYDRAULIC BOTTLE JACK**

4T E0804A

4T E0804B

2-12T

16T

20-30T



Model	Capacity (TON)	Min.H. (mm)	Lifting H. (mm)		Adjust H. (mm)	Max.H. (mm)	N.W. (kg)	Qty Of Package (mm)
E0804A	4	185	82	78	60	400	4	4
E0804B	4	185	78	82	/	400	4.2	4
E0802	2	150	82	78	50	360	2.6	5
E0804	4	155	78	82	50	365	3.8	4
E0806	6	165	90	90	50	395	5.3	4
E0808	8	240	140	145	70	595	6	2
E0810	10	225	140	145	50	560	8.5	2
E0812	12	230	140	145	60	575	10.5	2
E0816	16	265	140	140	60	605	12	2
E0820	20	235	140	145	60	580	15.5	1
E0830	30	250	140	140	60	530	22	1

**MACHINE
TOE JACK**

**SPECIALITY
HYDRAULIC BOTTLE JACK**



10-50T

Model	Capacity (TON)	Toe-life Capacity (mm)	Stroke (mm)	Coll.H. A (mm)	Ext.H. B (mm)	Height K (mm)	Toe-life Base lixw (mm)	Weight (kg)
E0710	10	5	105	282	387	22	98x55	20
E0720	20	10	152	310	462	25	123x63	31
E0730	30	15	155	330	485	28	149x60	42
E0750	50	25	155	370	525	40	190x75	85



**SPECIALITY
HYDRAULIC BOTTLE JACK**

WITH PRESSURE GAUGE



2-30T



50-100T

Remark: The gauge is packed separately.

Model	Capacity (TON)	Min.H. (mm)	Lifting H. (mm)	Adjust H. (mm)	Max.H. (mm)	N.W. (kg)	Master Pack Dimensions (mm)	Qty Of Package (mm)
E0202C	2	148	80	50	278	2.6	500x235x175	10
E0204C	4	180	110	50	340	3.7	380x240x220	6
E0206C	6	200	125	60	385	4.7	385x260x220	6
E0208C	8	200	125	60	385	5.5	275x255x220	4
E0210C	10	200	125	60	385	6	285x275x220	4
E0212C	12	210	125	60	395	7.3	305x295x235	4
E0216C	16	225	140	60	425	8	325x160x250	2
E0220C	20	235	145	60	440	10.5	365x175x265	2
E0230C	30	255	150	/	405	12.5	370x195x270	2
E0250C	50	255	150	/	405	20.5	215x195x265	1
E02100C	100	330	180	/	510	70.5	300x330x390	1

100-200T

COMMERCIAL HEAVY DUTY HYDRAULIC BOTTLE JACK



Model	Capacity (TON)	Min.H. (mm)	Lifting H. (mm)	Adjust H. (mm)	Max.H. (mm)	N.W. (kg)	Master Pack Dimensions(mm)	Qty Of Package (mm)
E02100	100	330	180	/	510	70	300x330x390	1
E02200	200	365	180	/	545	140	360x390x420	1

SCREW JACK

OTHER BOTTLE JACK

Model	Capacity (TON)	lifting H. ≥/ (mm)	max.H. ≤/ (mm)
E223.2	3.2	50	160
E2205	5	65	180
E2210	10	75	200
E2220	20	90	225
E2232	32	150	320
E2250	50	150	330
E22100	100	200	452
E22200	200	200	472

3.2-200T



AIR /
HYDRAULIC

OTHER BOTTLE JACK

WELDING TYPE



12-30T



Model	Description	Rated Road (TON)	Min.H. (mm)	Max.H. (mm)	Adjust H. (mm)	G.W. (kg)	N.W. (kg)	Package Size (cm)	Qty In 20' Container (pcs)
E1712	12T AIR HYDRAULIC JACK	12	255	485	80	12.2	11.5	240x160x265	2000
E1720	20T AIR HYDRAULIC JACK	20	265	505	80	17.2	16.2	280x190x280	1453
E1730	30T AIR HYDRAULIC JACK	30	278	518	90	28	27	315x205x295	892

AIR /
HYDRAULIC

OTHER BOTTLE JACK

CONVENTIONAL TYPE



12-30T



Model	Description	Rated Road (TON)	Min.H. (mm)	Max.H. (mm)	Adjust H. (mm)	G.W. (kg)	N.W. (kg)	Package Size (cm)	Qty In 20' Container (pcs)
E1612	12T AIR HYDRAULIC JACK	12	263	508	80	14.5	13.5	24x18x27	1400
E1620	20T AIR HYDRAULIC JACK	20	267	512	80	19	17.5	28x22x28	1030
E1630	30T AIR HYDRAULIC JACK	30	280	470	/	26	22	30x30x29	730

VENIT

HYDRAULIC FLOOR JACK



ALUMINUM
/ STEEL

HYDRAULIC FLOOR JACK

1.5-2T

LOW PROFILE



DUAL-PUMP

Model	Capacity (TON)	Min.H. (mm)	Max.H. (mm)	Lifting H. (mm)	N.W. (kg)	Master Pack Dimensions(mm)	Qty In 20' Container (pcs)
YP1301	1.5	80	375	295	15	575x275x170	1100
YP1302	2	89	500	411	26	780x405x190	525

STEEL

HYDRAULIC FLOOR JACK



LOW PROFILE

3T YP1103



3T YP1104



FOOT PEDAL

2.5T YP1401



3T YP1104A

Model	Capacity (TON)	Min.H. (mm)	Max.H. (mm)	Lifting H. (mm)	N.W. (kg)	Master Pack Dimensions(mm)	Qty In 20' Container (pcs)
YP1103	3	75	500	425	32	780x405x190	480
YP1104A	3	130	460	330	31	720x405x190	476
YP1104	3	130	460	330	30	720x405x190	476
YP1401	2.5	85	385	300	12	600x240x155	1300

STEEL

HYDRAULIC FLOOR JACK



LOW PROFILE


3T YP1003



3T YP1203



3.5T YP1205




DUAL-PUMP

Model	Capacity (TON)	Min.H. (mm)	Max.H. (mm)	Lifting H. (mm)	N.W. (kg)	Master Pack Dimensions(mm)	Qty In 20' Container (pcs)
YP1003	3	75	500	425	32	780x405x190	480
YP1203	3	130	460	330	32.5	720x405x190	476
YP1205	3.5	102	418	520	46	860x450x230	315




OTHER FLOOR JACK



Model	Lifting Weight(MT)	N.W. (kg)	G.W. (kg)	Min.H. (mm)	Max.H. (mm)	Kind Of Packing	Dimensions (mm)	1×20fcl/pcs
E1102	2	6.5	7	125	300	color box	435×210×140	2000
E1102B	2	6.5	7	125	300	color box	435×210×140	2000
E1102	2	22	23	135	460	color box	594×360×180	500
E1103	2	58	63	130	670	carton	1150×430×210	250
E1103.5	3.5	63	71	140	630	plywood	1260×390×230	231
E1104	4	80	95	145	610	plywood	1560×400×280	136
E1104	4	31.5	33	65	415	carton	670×230×380	380
E1105	5	45	47	65	425	carton	700×230×320	350
E1105	5	90	101	160	560	plywood	1560×400×280	136
E1105	5	97	108	160	560	plywood	1560×400×280	136
E1110	10	130	150	170	570	plywood	1690×500×330	112
E1110	10	140	160	170	570	plywood	1690×500×330	112
E1120	20	210	225	190	650	plywood	1610×350×340	144




JACK STAND



Model	Capacity (TON)	Min.H. (mm)	Lifting H. (mm)	N.W. (kg)	G.W. (kg)	Master Pack Dimensions(mm)	Qty In 20' Container (pcs)
E1402	2	273	415	5	5.5	220×180×330	2142 Couple
E1403	3	305	425	5.5	6	250×200×350	1600 Couple
E1406	6	410	600	9.5	10	290×250×440	877 Couple
E1412	12	487	748	26	26.5	330×300×580	487 Couple



SCISSOR JACK



Model	Capacity (TON)	Min.H. (mm)	Max.H. (mm)	Qty/Carton (pcs)	N.W. (kg)	G.W. (kg)	Package Size With Handle (mm)	Qty In 20' Container With Handle (pcs)	Package Size (cm)	Qty In 20' Container (pcs)
E2601	1	90	325	10	20.5	22	490x390x195	7800	51x37x11	8500
E2602	2	90	380	10	27.2	30	590x460x270	4800	61x44x12	6100




SPIRAL JACK



	Capacity (TON)	Min.H. (mm)	Lifting H. (mm)	Max.H. (mm)	Master Pack Dimensions (mm)	Qty Of Package (mm)
QL	2	215	235	450	495x250x255	6
QS	2	180	205	385	495x250x220	6



FLOOR TRANSMISSION JACK



Model	Capacity (TON)	Min.H. (mm)	Max.H. (mm)	N.W. (kg)	G.W. (kg)	Master Pack Dimensions(mm)	Qty In 20' Container (pcs)
E1301	0.5	190	680	56	65	830x470x285	240
E1302	1	200	760	62	73	870x510x230	198
E1303	1.5	210	740	80	92	970x540x340	130



TRANSMISSION JACK



Model	Capacity (TON)	Min.H. (mm)	Stroke (mm)	N.W. (kg)	G.W. (kg)	Master Pack Dimensions(mm)
E130.5A	0.5	850	930	50	55	490x270x740
E130.5B	0.5	850	930	48	64	490x270x740
E130.6B	0.6	855	905	57	66	520x320x790
E130.6A	0.6	850	930	51	57	490x270x740
E130.5	0.5	1000	900	30	38	1100x310x270
E130.6	0.6	1000	900	37	44	1100x310x270



ENGINE CRANE

1T



1.5T



2T



3T



Model	Rated Load (TON)	Lifting H. (mm)	N.W. (kg)	G.W. (kg)	Qty In 20' Container (pcs)	Package Size (mm)
E1201	1	2380	65	68	169	1360x315x160 780x585x90
E1215B	1.5	2160	70	80	126	1450x510x290
E1202	2	2380	72	75	148	1360x315x160 720x585x90
E1202A	2	2350	75	78	135	1390x740x90
E1203A	3	2450	136	150	38	1330x325x165 1850x640x600



LONG RAM JACK

3T



5T



Model	Description	Stroke (mm)	Min.H. (mm)	N.W. (kg)	Package Size (2 Pics In) (mm)	Qty In 20' Container (pcs)
E1703A	3T LONG RAM JACK	495	630	9	7000x3000x1500	1650
E1705A	5T LONG RAM JACK	490	630	10.5	7000x3000x1500	1650




ENGINE STAND



Model	Capacity	Working Range(mm)	Adjust H. (mm)	N.W. (kg)	G.W. (kg)	Package Size(mm)	Qty In 20' Container(pcs)
E2303	300KG	1015-1380	0-305	15.5	16.5	1030x130x110	1000
E2305	500KG	730-1480	0-205	17.5	18.5	1545x140x125	900
E23010	1000LB	430 OPERATING RANGE	/	5	5.6	680x260x80	1850
E2401	750LB	800 CENTER HEIGHT	/	21	22	890x210x180	800
E2402	1000LB	800 CENTER HEIGHT	/	23	24	910x210x180	750
E2403	1250LB	820 CENTER HEIGHT	/	39	41	870x240x210	480
E2404	2000LB	815 CENTER HEIGHT	/	42	44	950x450x170	360



PORTA POWER JACK



Model	Capacity (TON)	Stroke (mm)	Min.H. (mm)	N.W. (kg)	G.W. (kg)	Packing Size (2 Pics in)(mm)	Qty In 20' Container(pcs)
E2004	4	125	270	18	20	630x300x150	660
E2010	10	135	358	31	33	780x430x170	470
E2010	10	135	358	32	34	760x320x170	600
E2010	10	135	358	33	35	950x400x190	400



PIPE BENDER



12T



16T

Model	Description	Rated Road(TON)	Various Shoe	G.W. (kg)	Package Size(mm)	Qty in 20' Container(pcs)
E1512	12T HYDRAULIC PIPE BENDER	12	1/2",3/4",1",1-1/12",2"	35	630x540x170	430
E1516	16THYDRAULIC PIPE BENDER	16	1/2",3/4",1",1-1/4",1-1/12",2",2-1/12",3"	60	680x610x190	250



COLLISION REPAIR KIT

2-5T



10T



Model	Capacity (TON)	Max Lenght (mm)	Stroke (mm)	N.W. (kg)	G.W. (kg)	Master Pack Dimensions(mm)
E2202	2	575	120	3	4	6000x1000x500
E2205	5	665	130	5.5	6.5	6100x1300x650
E2210	10	715	130	8	9	6600x1700x900